

CORRECTION

Open Access



Correction to: Nitrogen application and different water regimes at booting stage improved yield and 2-acetyl-1-pyrroline (2AP) formation in fragrant rice

Zhaowen Mo^{1,2}, Yanhong Li^{1,3}, Jun Nie^{1,3}, Longxin He^{1,2}, Shenggang Pan^{1,2}, Meiyang Duan^{1,2}, Hua Tian^{1,2}, Lizhong Xiao^{1,2}, Keyou Zhong^{1,2} and Xiangru Tang^{1,2*}

Correction to: *Rice* (2019) 12:74

<https://doi.org/10.1186/s12284-019-0328-4>

It was highlighted that the original article (Mo et al. 2019) contained an error in Fig. 1f which revealed the biosynthesis pathway of 2AP. This Correction article shows the correct Fig. 1 and incorrect Fig. 1. The original article has been updated.

Correct Fig. 1

Incorrect Fig. 1

Author details

¹Department of Crop Science and Technology, College of Agriculture, South China Agricultural University, Guangzhou 510642, Guangdong, China.

²Scientific Observing and Experimental Station of Crop Cultivation in South China, Ministry of Agriculture.P. R. China, Guangzhou 510642, China.

³Agro-innovative Demonstration Base Guangdong Academy of Agricultural Sciences, Guangzhou 510642, China.


* Correspondence: tangxr@scau.edu.cn

The original article can be found online at <https://doi.org/10.1186/s12284-019-0328-4>

¹Department of Crop Science and Technology, College of Agriculture, South China Agricultural University, Guangzhou 510642, Guangdong, China

²Scientific Observing and Experimental Station of Crop Cultivation in South China, Ministry of Agriculture.P. R. China, Guangzhou 510642, China

Full list of author information is available at the end of the article





Reference

Mo Z et al (2019) Nitrogen application and different water regimes at booting stage improved yield and 2-acetyl-1-pyrroline (2AP) formation in fragrant rice. Rice 12:74. <https://doi.org/10.1186/s12284-019-0328-4>